INTERNATIONAL STANDARD

ISO 7005-2

First edition 1988-12-15



INTERNATIONAL ORGANIZATION FOR STANDARDIZATION ORGANISATION INTERNATIONALE DE NORMALISATION МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ

Metallic flanges -

Part 2: Cast iron flanges

Brides métalliques -

Partie 2: Brides en fonte

Reference number ISO 7005-2: 1988 (E)

ISO 7005-2: 1988 (E)

Contents

-	. P	age
Fore	word	iii
Intro	duction	iv
Sec	Section 1: General	
1.1	Scope	1
1.2	Normative references	1
1.3	Definitions and designations	1
Section 2: General requirements		3
2,1	Pressure/temperature (p/T) ratings	3
2,2	Materials	3
2.3	Dimensions	3
2.4	Joint facings	3
2.5	Spot-facing or back-facing	4
2.6	Marking	4
2.7	Inspection and test	4
2.8	Repairs	4
2.9	Information to be supplied by the purchaser	4
Sec	Section 3: Dimensions	
Section 4: Materials and pressure/temperature (p/T) ratings		
4.1	Materials	29
4.2	Pressure/temperature ratings	30

International Organization for Standardization, 1988

Printed in Switzerland

Annexes

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 5077 was prepared by Technical Committee ISO/TC 38, *Textiles*, Subcommittee SC 2, *Cleansing, finishing and water resistance tests*.

This second edition cancels and replaces the first edition (ISO 5077:1984), which has been technically revised.

Textiles — Determination of dimensional change in washing and drying

1 Scope

This International Standard specifies a method for the determination of the dimensional change of fabrics, garments or other textile articles when subjected to an appropriate combination of specified washing and drying procedures.

In the case of textile articles or deformable materials, it is necessary to exercise all possible caution in the interpretation of the results.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 139, Textiles — Standard atmospheres for conditioning and testing

ISO 3759, Textiles — Preparation, marking and measuring of fabric specimens and garments in tests for determination of dimensional change

ISO 6330, Textiles — Domestic washing and drying procedures for textile testing

3 Principle

The specimen is conditioned in the specified standard atmosphere and measured before subjection to the appropriate washing and drying procedures. After drying, conditioning and remeasuring of the specimen, the changes in dimensions are calculated.

4 Apparatus and reagents

Use apparatus and reagents as specified in ISO 3759 and ISO 6330.

5 Atmospheric conditions

The atmospheric conditions required for conditioning and testing are specified in ISO 139.

6 Test specimens

- 6.1 The selection, dimensions, marking and measuring of test specimens are specified in ISO 3759.
- **6.2** When possible, three specimens from each sample should be used. One or two specimens may be used when insufficient sample is available.

© ISO 2007 – All rights reserved

7 Procedure

- **7.1** Determine the original length and width dimensions, as appropriate, after the specimens have been conditioned and measured according to the procedure specified in ISO 139 and ISO 3759.
- **7.2** Wash and dry the specimens according to one of the procedures specified in ISO 6330, as agreed between the interested parties.
- **7.3** After washing and drying, condition and measure the specimens and calculate the dimensional change of the specimens according to the procedure specified in ISO 3759.

8 Expression of results

8.1 Calculate the mean changes in dimensions in both the length and width directions in accordance with the arrangement in ISO 3759 as follows:

$$\frac{x_{\rm t}-x_{\rm o}}{x_{\rm o}} imes 100$$

where

- x_{o} is the original dimension;
- x_t is the dimension measured after treatment.

Record the changes in measurement separately as a percentage of the corresponding original value.

- **8.2** Express the average dimensional changes to the nearest 0,5 %.
- **8.3** State whether the dimension has decreased (shrinkage) by means of a minus sign (-) or increased (extension) by means of a plus sign (+).

9 Test report

The test report shall specify the following:

- a) the number and year of this International Standard;
- b) the number of specimens washed and dried;
- c) the procedure used for washing and drying from ISO 6330;
- d) for fabric specimens, the average dimensional change in the length (warp or wale) and the average dimensional change in the width (weft or course) to the nearest 0,5 %;
- e) for garments, the description, make and size of the garment tested;
- f) for garments, an adequate description of each measuring position and the average dimensional change to the nearest 0,5 % at each position for each garment tested.